

Lighting Consoles

- 8 / 16 Channels
- 2 Programmable Chases
- 8 Programmable Scenes
- DMX-512 Option

TL-4008
Memory Console



SPECIFICATIONS

| | | | |
|------------------|--|---------------------|---|
| Channels: | 16 or 8 | Control Protocol: | LMX-128 (3 pin multiplex) DMX-512 Optional |
| Chase: | 12 Programmable, 40 Steps each, Steps will Store Scenes | Power Requirements: | Phantom Power: 18VAC or +15VDC, 400ma External Power: 13 - 25VAC or VDC, 400ma |
| Operating Modes: | 8 Channels x 2 Scenes 16 Channels x 1 Scene 8 Channels + 8 Preset Scenes | Size: | 10.25"W x 9.25"D x 2.5"H |
| Memory: | Non Volatile - Scenes and Chases Retained when Unit Powered Off | Weight: | 4.3 Pounds |
| Scenes: | 8 Scenes 16 Channels each | | |

Architect & Engineer's Specifications

The lighting control console shall have one manual 16 channel scene; two manual 8 channel scenes; or one 8 channel manual scene plus 8 preset programmable scenes, the operation is selected by a Y MODE switch. A crossfader control enables full fade versatility between scenes. The console stores 8 scenes. Momentary (bump) buttons enable instant channel turn on. Two 40 step chases are user programmable. There shall be an overall master fader, blackout function, and control of the chase rate. The console shall have a nonvolatile memory to retain scenes and chases when powered off.

The console is supplied standard with LMX-128 (multiplex) control on a 3 wire cable. It can provide USITT DMX-512 as an option. The power requirements for the console shall be in 3 wire multiplex mode: 18VAC or +15VDC, 400ma minimum; and/or when DMX-512 is being used an external power supply is needed: 13 - 25VAC or VDC, 400ma minimum. Construction is of 16 gauge steel and no rivets are used in the construction. Nylon "break resistant" shafts are used on the fader controls. The console is 10.25"W x 9.25"D x 2.5"H and is 4.3 pounds.

The lighting control console shall be a Lightronics TL-4008.

5 YEAR WARRANTY

The 5 year warranty is valid if the Warranty Registration card is returned to Lightronics, Inc. within 30 DAYS of the purchase date.

